Application/Control Number: 10/677,122 Page 2

Art Unit: 1794

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Michael Hilton on 09/29/06.
- 3. The application has been amended as follows:

Claim 22, at the last two lines, the phrase ", said intermediate transfer sheet being one according to claim 21" has been deleted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TIMOTHY M. SPEER whose telephone number is (571)272-8385. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Keith D. Hendricks can be reached on 571-272-1401. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/677,122 Page 3

Art Unit: 1794

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Timothy M. Speer/ Primary Examiner Art Unit 1794